

WRC LANDER PHARMACY






115 Wyoming Street
Lander, WY 82520

project #: 025158.00
date: 9/26/2025 10:26:04 AM
drawn by: AUTHOR
checked by: CHECKER

printed name: STEVEN R. KNUTSON, AIA, LEED AP, NCARB
reg. #: C-3680
sign date: ISSUE DATE



revision / issue no. date



TYPICAL FIXTURES AND ACCESSORIES MOUNTING HEIGHTS

MOUNTING
HEIGHTS












sheet title:

sheet number:


G1.2

LIFE SAFETY ANALYSIS	
CODES USED: 2021 INTERNATIONAL BUILDING CODE 2021 INTERNATIONAL EXISTING BUILDING CODE	PROJECT TYPE CLASSIFICATION: PROJECT SUMMARY: CONSTRUCTION TYPE: SPRINKLER SYSTEM?: FIRE ALARM SYSTEM?: CHANGE IN OCCUPANCY?: SPECIAL INSPECTIONS REQUIRED?
MEANS OF EGRESS (CH. 10) OCCUPANCY GROUP(S): B OCCUPANT LOAD (SEC 1004) TOTAL OCCUPANT LOAD: 16 OCCUPANTS EGRESS WIDTH (SEC 1005) EXIT WIDTH REQ'D/ PROVIDED: 36" / 136" NUMBER OF EXITS (SEC 1006) REQ'D/ PROVIDED: 2 / 4 MAX COMMON PATH EGRESS(FT): 22'-0" EXIT TRAVEL DISTANCE (SEC 1017) MAX TRAVEL DISTANCE (FT): 54' CORRIDORS (SEC 1020) FIRE RATING (HR)**: 0 MIN. WIDTH (INCHES): 44" MAX. DEAD END DISTANCE (FT): 20'	LEVEL 2 - ALTERATION REMODEL PROJECT IS SELECTIVE INTERIOR DEMOLITION AND RECONSTRUCTION TO ACCOMMODATE NEW PHARMACY SERVICES BEING ADDED TO EXISTING MEDICAL SERVICES FACILITY. VB NO YES NO NO
	MIXED USE AND OCCUPANCY (508.4) SEPARATIONS REQUIRED**: NONE
	PLUMBING SYSTEMS (CH. 29) (TABLE 2902.1) WATER CLOSETS: REQ'D / PROVIDED: 1 / 2 LAVATORIES: REQ'D / PROVIDED: 1 / 4 DRINKING FOUNTAINS: REQ'D / PROVIDED: 1 / 1 SERVICE SINKS: REQ'D / PROVIDED: 1 / 1
PREPARED BY: SK	NOTE: OWNER TO FURNISH AND INSTALL EYEWASH STATION IN ROOM 107 JANITOR CLOSET TO COMPLY WITH OSHA STANDARD 29 CFR 1910.151C AND ANSI Z358.1

LIFE SAFETY ANALYSIS



	BUILDING EXIT
	ACCESSIBLE FEATURE
	ROOM OCCUPANCY
	EXIT SIGNAGE
	EMERGENCY LIGHTING
	FIRE EXTINGUISHER
	FIRE EXTINGUISHER WITH CABINET
	EXIT CAPACITY REQUIRED PROVIDED
	MAX EXIT ACCESS TRAVEL POINT DISTANCE BETWEEN NODES EXIT NODE EGRESS PATH
	KNOX BOX LOCATION
	FIRE EXTINGUISHER WITH CABINET

NOTE: REFER TO ELECTRICAL SCOPE. CONTRACTOR TO DESIGN FURNISH AND INSTALL CONVENTIONAL FIRE ALARM SYSTEM FOR FULL FACILITY.






<h2 style="text-align: center;">DEMO GENERAL NOTES</h2>	
1.	DEMOLITION NOTES AND PLANS ARE PROVIDED AS A GUIDE ONLY. CONTRACTOR TO VERIFY EXISTING CONDITIONS AND EXAMINE DRAWINGS AND DETAILS TO DETERMINE EXTENT AND LIMITS OF DEMOLITION TO ACCOMMODATE NEW CONSTRUCTION.
2.	CONTRACTOR IS RESPONSIBLE FOR COORDINATION OF ALL ASPECTS OF DEMOLITION AND RECONSTRUCTION. CONTRACTOR TO COORDINATE NEW WORK PLAN DIMENSIONS AND INSTALLATION OF NEW MATERIALS AND FINISHES, AS REQUIRED, WHETHER INDICATED ON DRAWINGS OR NOT.
3.	DEMOLITION NOTES WITHOUT LEADERS INDICATE THAT THE NOTE APPLIES TO THE ENTIRE ROOM.
4.	CONTRACTORS SHALL COORDINATE ALL DEMOLITION WORK PHASING AND SEQUENCING WITH OWNER PRIOR TO START OF CONSTRUCTION.
5.	VERIFY EXISTING WALL TYPE AT WALL INFILL OR WALL EXTENSION AREAS. IF EXISTING WALL TYPE DOES NOT MATCH THE CALLED OUT WALL TYPE, INFILL OR EXTEND TO MATCH EXISTING WALL TYPE INSTEAD.
6.	VERIFY EXISTING WALL MATERIALS TO BE REMOVED (GYPSUM BOARD, STUD, CMU, BRICK, ETC.).
7.	PROVIDE TRANSITION STRIP AT AREAS OF NEW FLOORING MEETING EXISTING FLOORING AND AT NEW DOOR OPENINGS IN EXISTING WALLS. PATCH FLOOR AS REQUIRED.
8.	PREP FLOORS AS NEEDED FOR NEW FINISHES.
9.	REMOVE EXISTING WALL MOUNTED ITEMS SUCH AS GRAB BARS, MIRRORS, PAPER TOWEL DISPENSERS, TOILET PAPER DISPENSERS, SOAP DISPENSERS, TOILET PARTITIONS, ETC IN DEMOLISHED AREAS. PATCH EXISTING WALLS AS REQUIRED.
10.	PATCH SUBFLOOR, WALLS, & CEILINGS DESTROYED BY DEMOLITION. PATCH TO MATCH EXISTING FINISHES AS REQUIRED.
11.	REMOVE ALL FINISHES, ADHESIVES, OR OTHER MATERIALS THAT CONTRAST WITH NEW FINISHES SCHEDULED IN EXISTING OR NEWLY REMODELED SPACES.
12.	VERIFY ANY ITEMS TO BE RETAINED FOR OWNERS USE PRIOR TO REMOVAL.
13.	PROVIDE PROTECTION AND BE RESPONSIBLE FOR OWNER'S EQUIPMENT, FURNITURE AND ANY EXISTING FINISHES TO REPAIR AND REPLACE ANY DAMAGED AREAS AS A RESULT OF THE WORK. ALL EXISTING FINISHES TO REMAIN SHALL BE CLEANED AT THE COMPLETION OF CONSTRUCTION. DOCUMENT ANY EXISTING CONDITIONS OR DAMAGES PRIOR TO THE START OF CONSTRUCTION.


DEMO PLAN NOTES	
C1	DEMO & REMOVE EXISTING CASEWORK INCLUDING ANY UPPER OR LOWER CABINETS AND SHELVES, COUNTER, PLUMBING FIXTURES AND WALL MOUNTED ACCESSORIES (REMOVE APPLIANCES IF APPLICABLE)
D1	DEMO & REMOVE EXISTING INTERIOR DOOR, FRAME & HARDWARE (INCLUDING GLAZING SYSTEM IF APPLICABLE)
D2	DEMO & REMOVE EXISTING INTERIOR DOOR, FRAME & HARDWARE; INFILL W/WALL TYPE TO MATCH
D4	DEMO & REMOVE EXISTING INTERIOR DOOR, FRAME & HARDWARE. REPLACE W/NEW DOOR, FRAME & HARDWARE; VERIFY SIZE
D7	DEMO & REMOVE EXISTING EXTERIOR DOORS, GLAZING SYSTEM & HARDWARE. REPLACE W/NEW DOOR SYSTEM & HARDWARE; VERIFY SIZE AND HAND
F4	DEMO & REMOVE EXISTING FLOORING FINISHES & BASE WHERE APPLICABLE; CONTRACTOR TO PROVIDE SUB FLOOR AND SELF LEVELING UNDERLAYMENT AS REQUIRED, PATCH AND REPAIR AS REQUIRED; PREP FLOOR FOR NEW FINISHES
G1	DEMO & REMOVE EXISTING INTERIOR WINDOW, FRAME & HARDWARE
P2	DEMO & REMOVE EXISTING PLUMBING FIXTURES, ROUGH-INS, AND TOILET ROOM ACCESSORIES FROM EXISTING TOILET ROOM
P3	DEMO & REMOVE EXISTING DRINKING FOUNTAIN & PREP FOR NEW DRINKING FOUNTAIN W/ BOTTLE FILLER
W1	DEMO & REMOVE EXISTING INTERIOR STUD WALL
W6	DEMO & REMOVE PORTION OF EXISTING STUD WALL TO CREATE NEW DOOR OPENING PATCH FLOOR AS REQ'D




FLOOR PLAN GENERAL NOTES	
A	INTERIOR DIMENSIONS ARE TO FINISHED FACE OF STUD WALL, FACE OF MASONRY WALLS, TO CENTERLINE OF COLUMNS OR TO OTHER GRID POINTS UNLESS OTHERWISE NOTED. DIMENSIONS LABELED AS CLEAR OR CLR INDICATE MINIMUM DISTANCE TO FINISHED FACE OF WALLS. DIMENSIONS ARE TO FINISHED FACE OF EXISTING WALLS IF APPLICABLE.
B	ALL INTERIOR DOOR FRAMES TO BE 4" FROM ADJACENT WALL OR CENTERED BETWEEN WALLS UNLESS OTHERWISE NOTED.
C	FURNITURE & EQUIPMENT SHOWN IS FOR REFERENCE ONLY AND IS NOT INCLUDED IN THE CONTRACT.
D	COORDINATE SIZE AND LOCATION OF ALL DUCT AND SHAFT OPENINGS IN WALLS AND FLOORS WITH MEP CONSULTANT.
E	FIRE RATINGS ARE INDICATED ON THE LIFE SAFETY PLAN.
F	INTERIOR DIMENSIONS TO BE VERIFIED PRIOR TO COMMENCEMENT OF FRAMING ANY DIMENSIONS INDICATED AS MIN MUST BE ADHERED TO. CONTACT ARCHITECT PRIOR TO MODIFICATION OF ANY ROOM DIMENSIONS IF FIELD CONDITIONS REQUIRE.



RCP GENERAL NOTES	
1.	COORDINATE FINAL LOCATIONS OF CEILING MOUNTED EQUIPMENT W/ OWNER AND ARCHITECT.
2.	SEE M&E DRAWINGS FOR LIGHTING, GRILLS, AND DIFFUSER LOCATIONS.BY OTHERS
3.	EXISTING CEILING TO REMAIN WHERE REMOVED FOR INSTALLATION OF MECHANICAL OR ELECTRICAL EQUIPMENT CONTRACTOR TO REPAIR VAPOR BARRIER WHERE PRESENT TO ASSURE CONTINUITY. WHERE DISTURBED ALL ATTIC INSULATION TO BE REPLACED TO ASSURE COVERAGE.
4.	VERIFY GYPSUM BOARD CONTROL JOINT LOCATIONS WITH ARCHITECT PRIOR TO INSTALLATION.
5.	CEILING HEIGHTS INDICATED ARE FROM FINISHED FLOOR OF CURRENT LEVEL SHOWN.
6.	ALL EXISTING CEILINGS TO BE PATCHED AND REPAIRED TO MEET A LEVEL 4 FINISH
7.	ELECTRICAL CONTRACTOR TO PROVIDE 1" CONDUIT AND RACEWAY TO ALL CAMERA LOCATIONS AS ILLUSTRATED. ALL CAMERA LOCATIONS TO BE PROVIDED SINGLE GANG JUNCTION BOX. ELECTRICAL CONTRACTOR TO PROVIDE CAT5E CABLE RUN FROM OWNER IDENTIFIED TERMINATION POINT TO EACH CAMERA LOCATION. CONTRACTOR TO PROVIDE 2' WHIP AT DEVICE TERMINATION AND 10' WHIP AT PANEL TERMINATION.BASEMENT LEVEL ADJACENT TO ELECTRICAL PANEL IS ANTICIPATED HOMERUN LOCATION FOR ALL DATA CABLE.
8.	ELECTRICAL CONTRACTOR TO REVIEW WITH OWNER PRIOR TO INSTALLATION ALL CAMERA LOCATIONS TO CONFIRM ROUGH IN IS APPROPRIATE FOR CAMERA TYPE TO BE PROVIDED BY OWNER.
9.	EXTERIOR CAMERA LOCATIONS SHOWN TO BE PROVIDED WEATHER PROOF JUNCTION BOXES FOR OWNER PROVIDED CAMERA JUNCTION BOXES TO BE IP66 RATED. ALL EXTERIOR CAMERAS TO BE PROVIDED CONTINUOUS CONDUIT AND SWEEPS AS REQUIRED TO ROUTE CABLE TO LOWER LEVEL TERMINATION POINT.



1 LEVEL 1 FLOOR PLAN
A2.1 1/4" = 1'-0"



2 LEVEL 1 RCP
A2.1 1/4" = 1'-0"

WRC LANDER PHARMACY

115 Wyoming Street
Lander, WY 82520

project #: 025158.00
date: 9/26/2025 10:26:06 AM
drawn by: AUTHOR
checked by: CHECKER

printed name: STEVEN R. KNUTSON, AIA, LEED AP, NCARB
reg. #: C-3680
sign date: ISSUE DATE



revision / issue no. date

FIRST FLOOR PLAN
AND RCP

sheet title:

sheet number:


A2.1

GENERAL NOTES:

1. GENERAL CONTRACTOR TO COORDIANTE WITH SUBCONTRACTORS PERFORMING MECHANICAL, PLUMBING, AND ELECTRICAL WORK ALL REQUIRED INSPECTIONS.
2. SUBCONTRACTORS PERFORMING WORK TO BE RESPONSIBLE FOR ANY REQUIRED ENGINEERING DRAWINGS REQUIRED TO BE SUBMITTED TO CITY OF LANDER.
3. GENERAL CONTRACTOR TO REFER TO PROJECT CLOSEOUT REQUIREMENTS INDICATED IN PROJECT SPECIFICATION MANUAL FOR ALL REQUIRED WARRANTY CARDS ASSOCIATED WITH MEP EQUIPMENT.
4. GENERAL CONTRACTOR TO PROVIDE TO OWNER O&M MANUALS FOR ALL MECHANICAL AND ELECTRICAL EQUIPMENT INSTALLED, MANUAL TO INCLUDE POINT OF CONTACT FOR SYSTEM INSPECTIONS AND REPAIRS.


MECHANICAL / PLUMBING SCOPE NOTES:

- PLUMBING CONTRACTOR TO BE RESPONSIBLE FOR REVIEW OF DEMOLITION REQUIRED SCOPE. ALL FIXTURES TO BE REMOVED. SERVICE LINES AND WASTE PIPING TO BE CUT AND CAPPED IN CRAWL SPACE. ALL PIPE REMAINING TO BE PROPERLY SUPPORTED POST DEMOLITION.
- PLUMBING CONTRACTOR TO BE RESPONSIBLE FOR INSTALLATION OF ALL SUPPLY LINES, SHUT OFFS, AND VALVES AS REQUIRED BY CODE. ALL FIXTURE INFORMATION PROVIDED TO BE REVIEWED BY PLUMBING CONTRACTOR WITH OWNER PRIOR TO ORDERING. PLUMBING CONTRACTOR TO PROVIDE ALL REQUIRED SHOP DRAWINGS TO GENERAL CONTRACTOR FOR VERIFICATION WITH CASEWORK SUPPLIER AS REQUIRED. ALL NEW SANITARY SEWER PIPING TO BE PROVIDED WALL OR FLOOR CLEANOUTS IN ACCORDANCE WITH CODE REQUIREMENTS.
- PLUMBING CONTRACTOR TO PROVIDE SK-1 ELKAY LUSTERTONE CLASSIC STAINLESS STEEL 19-1/2" X 19" X 6-1/2" SINGLE BOWL DROP-IN ADA SINK WITH PERFECT DRAIN AND QUICK-CLIP FAUCET ELKAY (LK406G6N4TA) 4" CENTERSET EXPOSED DECK FAUCET WITH 4" GOOSENECK SPOUT 4" WRIST BLADE HANDLES CHROME, DRAIN KIT, DRAINAGE PIPE, SHUT OFFS.
- PLUMBING CONTRACTOR TO PROVIDE LAV-1 AMERICAN STANDARD LUCERNE 20-1/2" WALL MOUNTED PORCELAIN BATHROOM SINK, AMERICAN STANDARD RELIANT 3 CETERSET BATHROOM FAUCET FINISH POLISHED CHROME, DRAIN KIT, DRAINAGE PIPE, SHUT OFFS AND ALL REQUIRED ADA COMPLIANT PIPE GUARD.
- PLUMBING CONTRACTOR TO PROVIDE WC-1 AMERICAN STANDARD CADET RIGHT HEIGHT PRESSURE ASSISTED 1.6 GPF ELONGATED EVERCLEAN TOILET WITH SEAT ADA COMPLIANT.
- PLUMBING CONTRACTOR TO PROVIDE MB-1 MOP BASIN MUSTEE 63M 24"x24"x10". SERVICE MOP FAUCET MODEL MUSTEE 63.600A, MUSTEE WALL GUARDS MODEL 67.2424, AND SERVICE MOP HANGER 65.600.
- PLUMBING CONTRACTOR TO ROUTE ALL REQUIRED VENT PIPE THRU ATTIC OUT ROOF. GENERAL CONTRACTOR TO COORDINATE WITH PLUMBING CONTRACTOR ROOF PENETRATION, REMOVALS, NEW FLASHING, BOOT COLLAR, AND SHINGLE REPLACEMENT AS REQUIRED TO MAINTAIN ROOF.
- PLUMBING CONTRACTOR TO REMOVE AND REPLACE EXISTING WATER HEATER LOCATED IN LOWER LEVEL MECHANICAL ROOM. NEW UNIT TO BE GAS FIRED AND SIZED BY PLUMBING CONTRACTOR. EXISTING VENTING TO BE EVALUATED AND REPLACED IF REQUIRED.
- PLUMBING CONTRACTOR TO FURNISH AND INSTALL NEW ELKAY (LZSBWSAP) ENHANCED FILTERED BOTTLE FILLING STATION AND SINGLE ADA COOLER. COORDINATE WITH GENERAL CONTRACTOR FOR INSTALLATION OF IN WALL CARRIER TO BE FURNISHED BY PLUMBING CONTRACTOR. COORDINATE ELECTRICAL REQUIREMENTS WITH ELECTRICAL SUBCONTRACTOR. PLUMBING CONTRACTOR TO FURNISH AND INSTALL ALL REQUIRED SUPPLY LINES, AND DRAINAGE PIPE IN COMPLIANCE WITH LOCAL CODES.
- MECHANICAL CONTRACTOR TO REMOVE AND REPLACE EXISTING FORCED AIR FURNACE AND CONDENSED UNIT. MECHANICAL CONTRACTOR TO PROVIDE NEW FORCED AIR UNIT AND CONDENSER. ALL DISTRIBUTION DUCT WORK, DIFFUSERS, AND GRILLS. NEW FORCED AIR SYSTEM MAY WHERE EXISTING DUCT AND DISTRIBUTION ARE FOUND TO BE ADEQUATE BE CONNECTED TO EXISTING DISTRIBUTION. ANY EXISTING DUCT WORK REMAINING TO BE PROTECTED DURING CONSTRUCTION AND CLEANED PRIOR TO SYSTEM TESTING. GAS SERVICE AND CONNECTIONS FROM EXISTING UNIT TO BE REVIEWED AND REPLACED IF REQUIRED.
- MECHANICAL CONTRACTOR TO FURNISH AND INSTALL NEW CONTINUOUS OPERATION EXHAUST FAN TO SERVE ROOMS 107, 108, 109. EXHAUST FAN DISCHARGE TO BE ROUTED THRU ROOF. COORDINATE WITH GENERAL CONTRACTOR FOR ALL REQUIRED ROOFING REMOVALS, NEW FLASHING, VENT, AND ROOF REINSTALLATION.
- MECHANICAL CONTRACTOR TO SIZE AND INSTALL SUPPLEMENTAL MINI SPLIT SYSTEM TO SERVE ROOM 104. UNIT AND LINE SETS ARE TO BE COORDINATED WITH OWNER TO MINIMIZE VISUAL IMPACT OF EQUIPMENT. POWER REQUIREMENTS TO BE COORDINATED WITH ELECTRICAL SUBCONTRACTOR.



ELECTRICAL SCOPE NOTES:

- ELECTRICAL CONTRACTOR TO ENGINEER, FURNISH, AND INSTALL CONVENTIONAL FIRE ALARM SYSTEM. FIRE ALARM CONTROL PANEL LOCATION INDICATED FOR REFERENCE ONLY. CONTRACTOR TO REVIEW WITH LOCAL AHI FOR FINAL APPROVED LOCATION. SYSTEM TO INCLUDE MONITORING FOR CARBON MONOXIDE. SYSTEM TO BE INSTALLED TO PROVIDE FULL FACILITY COVERAGE. CONTRACTOR WILL BE REQUIRED TO COORDINATE INSTALLATION WITH OWNER.
- ELECTRICAL CONTRACTOR TO PROVIDE POWER AND DATA AS INDICATED ON SCOPE DOCUMENT. EXISTING DEVICES ARE NOT ILLUSTRATED ONLY NEW LOCATIONS. ELECTRICAL CONTRACTOR TO FIELD VERIFY ALL EXISTING QUANTITIES.
- ELECTRICAL CONTRACTOR TO PROVIDE AND INSTALL ALL MATERIALS AS REQUIRED TO ADHERE TO STATE AND LOCAL BUILDING CODES. ELECTRICAL CONTRACTOR TO TEST AND RELABEL ELECTRICAL PANEL.
- ELECTRICAL CONTRACTOR TO PROVIDE MODIFICATIONS TO EXISTING ELECTRICAL DISTRIBUTION SYSTEM FOR AREA OF WORK ONLY. SHOULD ANY MODIFICATION OF SYSTEM IMPACT OTHER PORTIONS OF OCCUPIED BUILDING NOTICE AND COORDINATION WITH OWNER MUST BE PROVIDED TO LIMIT DISRUPTION TO EXISTING BUILDING TENANTS.
- ELECTRICAL CONTRACTOR WILL BE RESPONSIBLE FOR ATTAINING ALL APPLICABLE PERMITS AND INSPECTIONS IN ACCORDANCE WITH LOCAL AUTHORITY HAVING JURSDICTION. ALL FEES ARE ASSUMED TO BE RESPONSIBILITY OF THE CONTRACTOR PERFORMING THE WORK.
- ALL EXISTING DEVICES ARE TO BE REPLACED WITH NEW. ALL DEVICES SWITCHES, OUTLETS, DATA TO BE GREY PROVIDE STAINLESS STEEL COVER PLATES AT ALL DEVICE LOCATIONS. CONTRACTOR TO PROVIDE ON FRONT OF FACE PLATE CLEAR PRINTED LABEL INDICATING PANEL AND CIRCUIT NUMBERS FOR ALL DEVICES.
- ANY EXISTING DEVICE BEING REPLACED IF WIRING OR JUNCTION BOX ARE DETERMINED TO BE IN NON COMPLIANCE MUST BE REPLACED. FOR PURPOSES OF CONTRACT ELECTRICAL CONTRACTOR TO PROVIDE A UNIT PRICE FOR WIRE, JUNCTION BOX, AND REINSTALLATION TO EXISTING WIRING IF FOUND TO BE NON COMPLIANT.
- ALL DOORS INDICATED WITH "CR" TO RECEIVE OWNER PROVIDED CARD READER. ELECTRICAL CONTRACTOR TO INSTALL RACEWAY AND WIRING. REFER TO PROVIDED DETAIL. ELECTRICAL CONTRACTOR TO COORDINATE REMOVAL OF INTERIOR FINISHES WHERE REQUIRED TO INSTALL AT NEW AND EXISTING DOOR OPENINGS. NO EXPOSED CONDUIT.
- UNLESS REQUIRED TO BE REMOVED DUE TO DEMOLITION SCOPE ALL EXISTING OUTLETS ARE TO REMAIN. DRAWING REFLECT NEW DEVICES ONLY.
- UNLESS REQUIRED DUE TO DEMOLITION EXISTING ROOMS 102, 103, 106 EXISTING LIGHT SWITCHING TO BE UTILIZED. CONTRACTOR TO VERIFY WITH OWNER ANY REQUESTED MODIFICATIONS TO LIGHTING CONTROLS IN THESE ROOMS.
- ELECTRICAL CONTRACTOR TO PROVIDE LED FIXTURES WITH DIMMING CONTROLS TO ROOMS 102, 103, 106. ALL ROOMS TO PROVIDED OCCUPANCY SENSORS. REFER TO RCP FOR PROPOSED LIGHTING LAYOUT. ELECTRICAL CONTRACTOR TO VERIFY LIGHT AND LAYOUT IN ROOM 104 MAINTAINS MINIMUM 100 FOOT CANDLES AT ALL WORK SURFACES.
- ELECTRICAL CONTRACTOR TO FURNISH AND INSTALL RECESSED ELECTRIC WALL MOUNT HEATER WITH THERMOSTAT IN ROOM 105. COORDINATE WITH GENERAL CONTRACTOR FINAL UNIT PLACEMENT ALONG EAST WALL OF ROOM.



WRC LANDER PHARMACY

115 Wyoming Street
Lander, WY 82520

project #: 025158.00
date: 9/26/2025 10:26:07 AM
drawn by: AUTHOR
checked by: CHECKER

printed name: STEVEN R. KNUTSON, AIA, LEED AP, NCARB

reg. #: C-3680

sign date: ISSUE DATE




revision / issue no. date

MECHANICAL, ELECTRICAL, PLUMBING SCOPE DOCUMENT


sheet title:

sheet number:


A2.2



1 HM Door Head @ Wood Stud Wall
1 1/2" = 1'-0"



2 HM Door Jamb @ Wood Stud Wall
1 1/2" = 1'-0"



4 LEVEL 1 FLOOR FINISH PLAN
1/4" = 1'-0"


FLOOR FINISHES

- CARPET
- CERAMIC TILE
- LVT


ROOM FINISH SCHEDULE								
REV.	NO.	NAME	FLOOR		WALL FINISH			
			FINISH	BASE	NORTH	EAST	SOUTH	WEST
	101	HALLWAY	CARPET	RB-01	PNT-1	PNT-1	PNT-1	PNT-1
	102	OFFICE	CARPET	RB-01	PNT-1	PNT-1	PNT-1	PNT-1
	103	CONSULT/ OFFICE	CARPET	RB-01	PNT-1	PNT-1	PNT-1	PNT-1
	104	PHARMACY	LVT	RB-01	PNT-1	PNT-1	PNT-1	PNT-1
	105	RECEIVING	LVT	RB-01	PNT-1	PNT-1	PNT-1	PNT-1
	106	BREAKROOM	LVT	RB-01	PNT-1	PNT-2	PNT-1	PNT-1
	107	JAN CL	LVT	RB-01	PNT-1	PNT-1	PNT-1	PNT-1
	108	TOILET	CERAMIC TILE	CT-01	CT-2	CT-2	CT-2	CT-2
	109	TOILET	CERAMIC TILE	CT-01	CT-2	CT-2	CT-2	CT-2
	110	WAITING ROOM	CARPET	RB-01	PNT-1	PNT-1	PNT-1	PNT-1
								PROVIDE CT-02 FULL HEIGHT ALL WALLS
								PROVIDE CT-02 FULL HEIGHT ALL WALLS

DOOR AND FRAME SCHEDULE										
REV.	DOOR				FRAME			FIRE LABEL	HDW. NO.	NOTES
	NO.	WIDTH	HEIGHT	TYPE	TYPE	HEAD	JAMB			
	100	3'-0"	7'-0"	HM-D2	HM-F2	1/A4.1	2/A4.1	--	1	INSULATED/CARD READER
	102	3'-0"	7'-0"	WD-D1	HM-F1	1/A4.1	2/A4.1	--	3	CARD READER
	103	3'-0"	7'-0"	WD-D1	HM-F1	1/A4.1	2/A4.1	--	3	CARD READER
	104	3'-0"	7'-0"	WD-D2	HM-F1	1/A4.1	2/A4.1	--	3	CARD READER
	105A	3'-0"	7'-0"	WD-D2	HM-F1	1/A4.1	2/A4.1	--	5	CARD READER
	105B	3'-0"	7'-0"	HM-D1	HM-F2	1/A4.1	2/A4.1	--	1	INSULATED/ CARD READER
	106A	3'-0"	7'-0"	HM-D1	HM-F2	1/A4.1	2/A4.1	--	1	INSULATED/ CARD READER
	106B	3'-0"	7'-0"	WD-D1	HM-F1	1/A4.1	2/A4.1	--	5	CARD READER
	106C	3'-0"	7'-0"	--	HM-F1	1/A4.1	2/A4.1	--	NA	HOLLOW METAL FRAME ONLY NO DOOR PREP.
	107	3'-0"	7'-0"	WD-D1	HM-F1	1/A4.1	2/A4.1	--	4	
	108	3'-0"	7'-0"	WD-D1	HM-F1	1/A4.1	2/A4.1	--	2	
	109	3'-0"	7'-0"	WD-D1	HM-F1	1/A4.1	2/A4.1	--	2	
	110	3'-0"	4'-0"	CL-D1	--			--		
	115	3'-0"	7'-0"	WD-D1	HM-F1	1/A4.1	2/A4.1	--	7	PROVIDE MAG HOLD OPEN

FRAME TYPES




DOOR TYPES



WINDOW TYPES

* FRAME WIDTH IS 2" UNLESS OTHERWISE DIMENSIONED. FRAME DEPTH TO MATCH WALL THICKNESS PER INDUSTRY STANDARDS UNLESS OTHERWISE NOTED. SEE DETAILS.



INTERIOR MATERIAL & COLOR SCHEDULE

REV.	SPEC NO.	CODE	DESCRIPTION	MANUFACTURER	PRODUCT_MODEL	COLOR_FINISH	SIZE	NOTES
	06 41 00	PLAM-01	PLASTIC LAMINATE	WILSONART	7996	NATURAL RECON		
	06 41 00	SSM-01	SOLID SURFACE COUNTERTOP	CORIAN				
	09 03 00	CT-02	PORCELAIN / CERAMIC TILE	DALTILE	THUNDER	VAPOR RECTANGLE	12X24	3/16" GROUT JOINT. PROVIDE METAL COVE AT BASE TRANSITION. WALL TILE TO BE INSTALLED VERTICAL ONE-THIRD OFFSET
	09 30 00	CT-01	PORCELAIN / CERAMIC TILE	DALTILE	THUNDER	VAPOR SQUARE VL63	12X12	3/16" GROUT JOINT TO BE PROVIDED
	09 30 00	MTLT-01	METAL TRIM	SCHLUTER SYSTEMS	DILEX-HKS	CLASSIC GREY	STANDARD	PROVIDE WITH SCHLUTER SYSTEM CORNER KITS AT ALL INTERIOR CORNERS.
	09 65 00	RB-01	RESILIENT WALL BASE	JOHNSONITE	BASEWORKS THERMOSET RUBBER (TYPE TS)	COLOR TO BE SELECTED BY ARCHITECT	4" COIL	PROVIDE 4" PROFILE WITH TOE. ALL WALLS TO BE INSTALLED FULL LENGHT WHERE POSSIBLE NO SEGMENTAL BASE LESS THAN 4' ALLOWED.
	09 65 00	RF-01	RESILIENT FLOORING	DALTILE	HALSTATT	COBBLESTONE HT42	7"X48"	
	09 68 13	CPT-01	CARPET TILE	MILLIKEN	CLEAN BREAK	HEADSTART HEA120 SENSIBLE		
	09 90 00	PNT-1	PAINT	SHERWIN WILLIAMS				
	09 90 00	PNT-2	PAINT	SHERWIN WILLIAMS				
	10 26 01	CG-01	CORNER GUARD	TBD			96"X2.5"X2.5"	STAINLESS CORNER GUARDS TO BE TYPE 304 MIRROR #8 POLISHED.



ARCHITECTURE
enriching communities
www.dsgw.com

WRC LANDER PHARMACY

115 Wyoming Street
Lander, WY 82520

project #: 025158.00
date: 9/26/2025 10:26:07 AM
drawn by: AUTHOR
checked by: CHECKER

printed name: STEVEN R. KNUTSON, AIA, LEED AP, NCARB
reg. #: C-3680
sign date: ISSUE DATE



revision / issue no. date

SCHEDULES, TYPES, AND FINISH PLAN


sheet title:

sheet number:


A4.1

FIXTURES & ACCESSORIES	
1	WATER CLOSET - ADA
2	GRAB BARS - ADA
3	SINK - ADA COMPLIANT


NOTE: REFER TO FINISH SCHEDULE FOR CERAMIC TILE SIZES AND PRODUCT DATA. ELEVATIONS PROVIDED TO REFLECT LOCATION ONLY. PATTERN AND SIZES TO BE PROVIDED PER SCHEDULE.




1
A7.1
TOILET ELEVATION - EAST
1/4" = 1'-0"




2
A7.1
TOILET ELEVATION - WEST
1/4" = 1'-0"




3
A7.1
TOILET ELEVATION - NORTH
1/4" = 1'-0"




4
A7.1
BREAKROOM - NORTH
1/4" = 1'-0"




5
A7.1
BREAKROOM - EAST
1/4" = 1'-0"




6
A7.1
1 - B
1/4" = 1'-0"




7
A7.1
RX Willcall Elevation
1/4" = 1'-0"




8
A7.1
RX PROCESSING ELEVATION
1/4" = 1'-0"




9
A7.1
ELEVATION 2 - A
1/4" = 1'-0"




10
A7.1
WORKSTATION - SOUTH
1/4" = 1'-0"



11
A7.1
WORKSTATION - WEST
1/4" = 1'-0"



12
A7.1
1 - A
1/4" = 1'-0"



13
A7.1
EAST SHELVING ELEVATION
1/4" = 1'-0"




ARCHITECTURE
enriching communities
www.dsgw.com

WRC LANDER PHARMACY

115 Wyoming Street
Lander, WY 82520

project #: 025158.00
date: 9/26/2025 10:26:08 AM
drawn by: AUTHOR
checked by: CHECKER

printed name: STEVEN R. KNUTSON, AIA, LEED AP, NCARB
reg. #: C-3680
sign date: ISSUE DATE




revision / issue	no.	date
------------------	-----	------

INTERIOR
ELEVATIONS


sheet title:

sheet number:


A7.1




1 TYPICAL WALL & BASE CABINET
3/4" = 1'-0"




2 OPEN TALL STORAGE CAB
3/4" = 1'-0"




3 OPEN BASE CABINET W/ DRAWER
3/4" = 1'-0"




4 PLAM COUNTER OPEN BELOW
3/4" = 1'-0"




5 RX VIAL STORAGE W/ RODS
3/4" = 1'-0"



6 RX PRINTER SHELF W/ RODS
3/4" = 1'-0"



7 RX VIAL STORAGE W/ SHELVES
3/4" = 1'-0"



8 RX PRINTER SHELF W/ SHELVES
3/4" = 1'-0"

WRC LANDER PHARMACY

115 Wyoming Street
Lander, WY 82520

project #: 025158.00
date: 9/26/2025 10:26:08 AM
drawn by: AUTHOR
checked by: CHECKER

printed name: STEVEN R. KNUTSON, AIA, LEED AP, NCARB
reg. #: C-3680
sign date: ISSUE DATE



revision / issue	no.	date

MILLWORK
SECTIONS

sheet title:

sheet number:

A7.2